

AS2293.3 APPENDIX B

DECLARATION OF COMPLIANCE FOR EMERGENCY ESCAPE LUMINAIRES AND EXIT SIGNS

(INFORMATIVE)

Manufacturer: Evolt Pty Ltd
Address: U5/105a Vanessa Street,
 Kingsgrove, NSW 2208, Australia



Last updated: 27 October 2020_V1.0

EMERGENCY ESCAPE LUMINAIRE / EXIT SIGN

ORDER CODE	PRODUCT NUMBER	SKU	QTY
EV-LED FIRE-LITE Ledfire Lite Emergency Luminaire	9336462016961	01696	4
<input checked="" type="checkbox"/> Emergency escape luminaire	<input type="checkbox"/> Centrally supplied		
<input type="checkbox"/> Exit sign	<input checked="" type="checkbox"/> Self-contained		
<input type="checkbox"/> Maintained	<input checked="" type="checkbox"/> Non-maintained		
<input type="checkbox"/> Combined			

TUV SUD (SHENZHEN)

TEST	DESCRIPTION
Safety Standards	IEC 60598-1:2014 / IEC 60598-2-22:2014 IEC 60598-2-2:2011 EN 60598-2-22:2014 / EN 60598-2-2:2012 EN 60598-1:2015 / EN 62493:2015 AS/NZS 60598.1:2017 AS/NZS 60598.2.22:2005 AS/NZS60598.2.2:2016 AS 2293.3:2005+Amdt1:2010+Amdt2:2012
Safety Certification	SG PSB-LE-01044(CB) N8A 180196151015(LVD)
Safety / Performance Test Report	211-1417006-000(CB) 681401700601(LVD)
EMC standards	EN 55015:2013/A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 6100-3-3:2013 AS/NZS CISPR 15:2013+A1:2015
EMC Certification	E8A 180196151 021(EMC)
EMC Test Report	687401700501

LIGHTLAB

AS2293 TESTING	DESCRIPTION
Thermal Report	LL1620501T
Photometric Report	LL1640A
Classification	D50

OPERATIONAL INFORMATION

GENERAL	
Mains Voltage	240V~ 50Hz
Ambient temp.	0 to 40°C
Class	2
Diffuser type	Polycarbonate
BATTERY	
Number of cells	2
Type	LiFePO ₄
Nominal Voltage	6.4 V
Capacity	1500mAH
Part number	1302

DECLARATION OF COMPLIANCE

On the basis of the test reports specified, I declare that the emergency escape luminaire/ exit sign described in this document complies with the requirements of AS2293.3.

Title: Managing Director **Date:** 27/10/20

Signature:

NOTE: This declaration form should be completed in full. The completed form should be considered sufficient to verify compliance with AS 2293.3.

ektor.com.au
E: sales@evolt.com.au
 P:1300 4EVOLT (438 658)

evolt
 the electrical evolution

Ektor is dedicated to continuous product improvement. Datasheet is subject to change without notice, E&OE. Images are for illustrative purposes only.