

AS2293.3 APPENDIX B

DECLARATION OF COMPLIANCE FOR EMERGENCY ESCAPE LUMINAIRES AND EXIT SIGNS

(INFORMATIVE)

Manufacturer/Importer: Evolt Pty Ltd

Address: U5/105a Vanessa Street,
Kingsgrove, NSW 2208, Australia



Last updated: 27 October 2020_V1.0

EMERGENCY ESCAPE LUMINAIRE / EXIT SIGN

ORDER CODE	PRODUCT NUMBER	SKU	QTY
EV-MERCURY-BASIC Basic Emergency Exit	9336462112588	11258	4
<input type="checkbox"/> Emergency escape luminaire	<input type="checkbox"/> Centrally supplied		
<input checked="" type="checkbox"/> Exit sign	<input checked="" type="checkbox"/> Self-contained		
<input checked="" type="checkbox"/> Maintained	<input type="checkbox"/> Non-maintained		
<input checked="" type="checkbox"/> Combined			

TUV SUD (SHENZHEN)

TEST	DESCRIPTION
Safety Standards	IEC 60598-1:2014 / IEC 60598-2-22:2014 IEC 60598-2-1:1979 IEC 60598-2-1:1979/AMD1:1987 EN 60598-1:2015 / EN 60598-2-22:2014 EN 60598-2-1:1989 / EN 62493:2015
Test Report 1	SG PSB-LE-01130(CB) NA8 18 04 96151 025(LVD)
Test Report 2	211-1417817-000(CB) 681401781701(LVD)
EMC standards	EN 55015:2013/A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013
EMC Report 1	E8A 18 04 96151 027(EMC)
EMC Report 2	687401774501

LIGHTLAB

AS2293 TESTING	DESCRIPTION
Thermal Report	LL1621604T
Photometric Report	LL20093
Pictogram Report	LL19618A

OPERATIONAL INFORMATION

GENERAL	
Mains Voltage	240V~ 50Hz
Ambient temp.	0 to 40°C
Class	2
Diffuser type	Polycarbonate
BATTERY	
Number of cells	1
Type	LiFePO ₄
Nominal Voltage	3.2 V
Capacity	1500mAH
Part number	00000000000000

DECLARATION OF COMPLIANCE

On the basis of the test reports specified, I declare that the emergency escape luminaire/ exit sign described in this document complies with the requirements of AS2293.3.

Title: Managing Director

Date: 27/10/20

Signature:

ektor.com.au
E: sales@evolt.com.au
P: 1300 4EVOLT (438 658)

evolt
the electrical evolution

NOTE: This declaration form should be completed in full. The completed form should be considered sufficient to verify compliance with AS 2293.3.

Ektor is dedicated to continuous product improvement. Datasheet is subject to change without notice, E&OE. Images are for illustrative purposes only.